1.	The Colour Isomerism and Structure of some Copper Co-ordination Compounds
	T N Waters, D Hall and F J Llewellyn Chem.and Ind., (1958), 1203.
2.	The Colour Isomerism and Structure of some Copper Co-ordination Compounds. Part I: Absorption Spectra in Solution.
	T N Waters and D Hall J.Chem.Soc., (1959),1200.
3.	Part II: Absorption Spectra of Solida
	T N Waters and D Hall J.Chem.Soc., (1959), 1203.
4.	<pre>Part III: The Structure of NN'-Disalicylidene- propane-1,2-diaminecopper Monohydrate</pre>
	F J Llewellyn and T N Waters J.Chem.Soc., (1960), 2639.
5.	Part IV: The Structure of NN*-Disalicylidene- ethylene-diaminecopper
	D Hall and T N Waters J.Chem.Soc., (1960),2644.
6.	Some Investigations in the Zirconium Tetrafluoride-Water System
	T N Waters J.Inorg.Nucl.Chem., <u>15</u> , (1960), 320.
7.	High Temperature X-ray Diffraction Studies
	I F Perguson, R S Street and T N Waters U.K. Atomic Energy Authority Report AERE-M819 (1961)
8.	The Thermal Expansion of ThC and ThN
	R S Street and T N Waters U.K. Atomic Energy Authority Report AERE-M1115 (1962)
9.	The Variation with Carbon Content of the Lattice Parameter of ThC
	R S Street and T N Waters U.K. Atomic Energy Authority Report AERE-M1114 (1962)
10.	The Crystal Structure of NN'-Ethylene-bis(acetylacetoneiminato)copper
	D Hall, A D Bae and T N Waters Proc.Chem.Soc., (1962), 143.

11. The UC/UN and ThC/ThN Systems

R S Street and T N Waters. J.Less Common Metals, 5, (1963), 295.

 The Colour Isomerism and Structure of some Copper Co-ordination Compounds. Part V: The Structure of NN'-Ethylene-bis(acetylacetoneiminato)copper.

> D Hall, A D Rae and T N Waters. J.Chem.Soc., (1963), 5897

 The Stereochemistry of Copper in 2,2'-Biphenyl(2-aminoethylenephenolato) copper

> T P Cheeseman, D Hall and T N Waters. Proc.Chem.Soc., (1963), 370.

 The Colour Isomerism and Structure of some Copper Co-ordination Compounds. Part VI: The Visible Absorption Spectra of Copper Complexes

> J M Waters and T N Waters, J.Chem.Soc., (1964), 2489.

 Part VII: The Crystal Structure of Bissalicylaldehydatocopper.

> A J McKinnon, T N Waters and D Hall J.Chem.Soc., (1964), 3290.

16. The Presence of Polarization Bonds in some Copper Complexes

D Hall, A J McKinnon, J M Waters and T N Waters. Nature, 201, (1964), 607.

17. Crystal Modification of Bissalicylaldehydatocopper

D Hall, A J McKinnon and T N Waters. Acta Cryst., 17, (1964), 613.

18. The Structure of 2rF_3H_0

T N Waters Chem. and Ind., (1964), 713.

19. The Hafnium Tetrafluoride-Water System

C E F Rickard and T N Waters. J.Inorg.Nucl.Chem., 25, (1964), 925. The Structure of Dioxodi-8-quinolinolato-8-quinolinoluranium(VI) Chloroform

> D Hall, A D Rae and T N Waters. Proc.Chem.Soc., (1964), 21.

 The Ultra-violet Absorption Spectra of the Copper Chelates of Salicylaldehyde and Salicylaldimines

> S V Sheat and T N Waters. J.Inorg.Nucl.Chem., <u>26</u>, (1964), 1221.

 The Colour Isomerism and Structure of Some Copper Co-ordination Compounds. Part VIII: The Crystal Structure of a Second Crystalline Form of Bissalicylaldehydatocopper.

> D Hall, A J McKinnon and T N Waters. J.Chem.Soc., (1965), 425.

23. Stereochemistry of Copper in Bis(N-t-butylsalicylaldiminato)copper

T P Cheeseman, D Hall and T N Waters. Nature, 205, (1965), 494.

 Structure of the Pyridine Adduct of Bis(N-phenylsalicylaldiminato) Copper

> D Ball, S V Sheat and T N Waters. Chem. and Ind., (1965), 1482.

25. The Structure of Uranyl Nitrate Hexahydrate.

D Hall, A D Rae and T N Waters. Acta Cryst., 19, (1965), 309.

26. The Structure of HfF4, 3H20.

D Hall, C E P Rickard and T N Waters. Nature, 207 (1965), 405.

 The Colour Isomerism and Structure of Some Copper Co-ordination Compounds. Part IX: The Crystal Structure of NN*-ethylenebis(acetylacetoneiminato)copper Monohydrate.

> D Hall, H A Morgan and T N Waters. J.Chem.Soc.(A), (1966), 677.

28.

Part X: The Crystal Structure of Bissalicylaldiminatocopper

E N Baker, D Hall and T N Waters. J.Chem.Soc. (A), (1966), 680. 29. The Colour Isomerism and Structure of Some Copper Co-ordination Compounds. Part XI: The Crystal Structure of Bis(N-t-buty1salicylaldiminato) copper. T F Cheeseman, D Hall and T N Waters. J.Chem.Soc.(A), (1966), 685. 30. Part XII: The Crystal Structure of NN*-2,2-hiphenylbis(salicylaldiminato)copper. T P Cheeseman, D Hall and T N Waters. J.Chem.Soc.(A), (1966), 1396. 31. The Crystal Structure of Bis (N-2-hydroxyethylsalicylaldiminato) copper. E R Boyko, D Hall, M E LeQuesne and T N Waters. Acta Cryst., 21, (1966), 614. 32. The Absorption Spectra of Copper Complexes of Intermediate Stereochemistry T P Cheeseman, D Hall and T N Waters. J.Chem.Soc.(A), (1966), 694. 33. Deviations from Planarity in the Molecule of Bis(ethylacetato)copper D Hall, A J McKinnon and T N Waters. J.Chem.Soc.(A), (1966), 615. 34. The Crystal Structure of Y-Bis(N-methylsalicylaldiminato)copper D Hall, S V Sheat and T N Waters. Chem. Comms. (1966), 436. 35. The Structure of Caesium Uranyl Chloride D Hall, A D Rae and T N Waters. Acta Cryst., 20, (1966), 160. 36. Lattice Compounds of NN'-Ethylenebis(acetylacetoneiminato) Complexes with Amine Perchlorates. N F Curtis, E N Baker, D Hall and T N Waters. Chem.Comms., (1966), 675. 37. The Atomic Radius of Palladium(II) and Platinum(IV) J D Bell, D Hall and T N Waters. Acta Cryst., 21, (1966), 440.

 The Colour Isomerism and Structure of Some Copper Co-ordination Compounds. Part XIII: The Crystal Structure of Bis(N-ethylsalicylaldiminato)copper.

> E N Baker, G R Clark, D Hall and T N Waters. J.Chem.Soc.(A), (1967), 251.

 Part XIV: The Crystal Structure of Chloroaquobis-(ethylenediamine)copper(II) Chloride.

> R D Ball, D Hall, C E F Rickard and T N Waters. J.Chem.Soc.(A), (1967), 1435.

40. Two Adducts of NN'-Ethylenebis(salicylaldiminato)copper

E N Baker, D Hall, A J McKinnon and T N Waters. Chem.Comms., (1967), 134.

 The Crystal Structure of the Chloroform Solvate of Dioxodi-8quinolinolate-8-quinolinoluranium(VI)

> D Hall, A D Rae and T N Waters. Acta Cryst., 22, (1967), 258.

42. The Structure of a Monocarboxylic Acid Derivative of Vitamin B12

D C Hodgkin, C K Nockolds, S Ramaseshan, J M Waters and T N Waters. Nature, (1967), 214, 129.

 The Molecular Structure of the Perchlorate of Eschenmoser's "Pseudo-Corrin"

> B Kamenar, C K Prout, T N Waters and J M Waters. J.Chem.Soc. (A), (1967), 2081.

44. The Crystal Structure of Copper(II) Pyridoxylidene (±)-Valine Complex

J F Cutfield, D Hall and T N Waters. Chem.Comms., (1967), 785.

 The Colour Isomerism and Structure of Some Copper Co-ordination Compounds. Part XV: The Crystal Structure of the Hemihydrate of NN'-Ethylenebis(acetylacetoneiminato)copper(II).

> G R Clark, D Hall and T N Waters. J.Chem.Soc. (A), (1968), 223.

 Part XVI: The Crystal Structure of the Y-Form of Bis(N-methylsalicylaldiminato)copper(II).

> D Hall, S V Sheat and T N Waters. J.Chem.Soc.(A), (1968), 460.

 The Colour Isomerism and Structure of Some Copper Co-ordination Compounds. Part XVII: The Crystal Structure of the Pyridine Solvate of Bis(N-phenylsalicylaldiminato)copper(II).

> D Hall, S V Sheat-Rumball and T N Waters. J.Chem.Soc.(A), (1968), 2721.

 The Crystal Structure of the Copper(II) Pyridoxylidenephosphate (±)-Phenylalanine Complex

> G A Bentley, J M Waters and T N Waters. Chem.Comms., (1968), 988.

49. The Stereochemistry of 6-Bromo-7-oxoditerpenoids

R C Cambie, G R Clark, D R Crump and T N Waters. Chem. Comms., (1968), 184.

 The Colour Isomerism and Structure of Some Copper Co-ordination Compounds. Part XVIII: The Crystal Structure of Bis(N-n-butylsalicylaldiminato)copper.

> D Hall, R Summer and T N Waters. J.Chem.Soc.(A), (1969), 420.

 Conformational Influences in Copper Co-ordination Compounds: Part I: The Conformation of the Ethylene Bridge in Aquo-NN'-ethylenebis(acetylacetoneiminato)copper(II).

> G R Clark, D Hall and T N Waters. J.Chem.Soc.(A), (1969), 823.

 The Colour Isomerism and Structure of Some Copper Co-ordination Compounds. Part XIX: The Crystal Structure of the Orthorhombic Form of Bis(N-ethylsalicylaldiminato)copper(II).

> G R Clark, D Hall and T N Waters. J.Chem.Soc. (A), (1969), 2808.

 Isomerism of Some Octamethyl-1,5,8,12-tetraazacyclotetradecadiene Complexes of Nickel(II) and Copper(II)

> N F Curtis, I K Maxwell, D A Swann and T N Waters. J.Amer.Chem.Soc., 91, (1969), 4588.

 The Colour Isomerism and Structure of Some Copper Co-ordination Compounds. Part XX: Crystal Structure of Di-µ-NN'-m-phenylenetetrakis(salicylideneiminato)dicopper(II).

> C A Bear, J M Waters and T N Waters. J.Chem.Soc.(A), (1970), 2494.

55. The Crystal and Molecular Structure of β-Hydroxy-α-naphthaldehyde-{β-hydroxy-α-naphthyl-methylimid}copper(II)

> D Hall, J E Wallace, J M Waters and T N Waters. J.Inorg.Nucl.Chem., <u>32</u>, (1970), 1847.

 Conformation Influences in Copper Co-ordination Compounds. Part II: The Conformation of NN'-Ethylenebis(acetylacetoneiminato)copper(II) in its Methylammonium Perchlorate Adduct.

> E N Baker, D Hall and T N Waters. J.Chem.Soc.(A), (1970), 396.

 Part III: The Chloroform Solvate of NN'-Ethylenebis(salicylaldiminato) copper(II).

> E N Baker, D Hall and T N Waters. J.Chem.Soc.(A), (1970), 400.

 Part IV: The p-Nitrophenol Adduct of NN'-Ethyelebis(salicylaldiminato)copper(II).

> E N Baker, D Hall and T N Waters. J.Chem.Soc.(A), (1970), 406.

 A Charge Transfer Complex between Riboflavin and Hydroquinone: Crystal Structure.

> C A Bear, J M Waters and T N Waters. Chem.Comms., (1970), 702.

 The Molecular Structure of a Derivative of Dothistromin, a Fungal Toxin implicated in Pine Needle Blight: an X-ray Study.

> C A Bear, J M Waters and T N Waters; R T Gallagher and R Hodges. Chem.Comms., (1970), 1705.

 The Molecular Structure and Absolute Configuration of the Diterpenoid, 6-Bromo-7-oxo-0-methylpodocarpate.

> G R Clark and T N Waters. J.Chem.Soc.(C), (1970), 887.

62. The Crystal Structure of Rimuene

B F Anderson, D Hall and T N Waters. Acta Cryst., <u>B26</u> (1970), 882.

63. Variable Stereochemistry in Binuclear Complexes of Copper(II)

C A Bear, J M Waters and T N Waters Chem.Comms., (1971), 704. The Crystal Structure of Catena-di-u-fluorodifluorodiaquohafnium(IV) Monohydrate, HfP₄, 38₀0.

> D Hall, C E F Rickard and T N Waters J.Inorg.Nucl.Chem., 33, (1971), 2395.

 Appendices to "The Structure of Vitamin Bl2: IX, The Crystal Structure of Cobyric Acid, Factor Vla."

> N Waters, Joyce Waters and Eleanor Dodson. Proc.Roy.Soc., <u>A323</u>, (1971), 455.

 Electronic Absorption Band Assignments for Copper(II) Salicylaldimine Complexes

> T N Waters and P E Wright. J.Inorg.Nucl.Chem., 33, (1971), 359.

 Four Co-ordinate Iridium(I) Cations and the Ligand Dependence of Oxygen Uptake: The Crystal Structure of [Ir(PPh_CH_2)].

> G R Clark, C A Reed, W E Roper, B W Skelton and T N Waters. Chem.Comms., (1971), 758.

 Crystal and Molecular Structure of catena-µ-Acetato-[di-(3aninopropyl)anine]copper(II) Perchlorate.

> N F Curtis, B W Skelton and T N Waters. J.Chem.Soc.Dalton, (1972), 2133.

 Structural Studies on Co-ordinated Macrocyclic Ligands, Part I. The Crystal and Molecular Structure of [(1RS, 3Sr, 8RS, 10SR) -3,5,7,7,10,12,14,14-octamethyl=1,4,8,11-tetraazacyclotetradeca=4,11diene]nickel(II) Perchlorate.

> N F Curtis, D A Swann and T N Waters. J.Chem.Soc.Dalton, (1972), 1115.

 Crystal Structure of Absolute Configuration of a Derivative of Dothistromin, a Fungal Toxin implicated in Pine-Needle Blight.

> C A Bear, J M Waters and T N Waters. J.Chem.Soc.Perkin II, (1972), 2375.

 The Crystal Structure of the Hexahydrate of Bissalicylidenetriethylene-tetramine Nickel(II)

> P D Cradwick, N E Cradwick, G G Dodson, D Hall and T N Waters. Acta Cryst., <u>B28</u>, (1972), 45.

 Structure of the Oxygenated Condensation Product Between Copper(II) Ions, Oxalodihydrazide, and Acetaldehyde.

> G R Clark, B W Skelton and T N Waters. Chem.Comms., (1972), 1163.

 The Colour Isomerism and Structure of Some Copper Co-ordination Compounds. Part XXI: Crystal and Molecular Structure of the 2:1 Adduct between 1,3,5-Trinitrobenzene and Bis(N-methylsalicylaldiminato)copper(II)

> A W King, D A Swann and T N Waters. J.Chem.Soc.Dalton, (1973), 1819.

 Conformational Influences in Copper Co-ordination Compounds. Part V: Crystal and Molecular Structure of {1,2-bis[{2-aminobenzylidene} amino]propanato(2-)]copper(II)

> D Hall, T N Waters and P E Wright. J.Chem.Soc.Dalton, (1973), 1508.

 Part VI: Crystal Structure of a Fourth Crystalline Isomer of Bis(2-hydroxy-N-methyl-1-naphthylmethyleneiminato)copper(II).

> D W Martin and T N Waters. J.Chem.Soc.Dalton, (1973), 2440.

 Crystal and Molecular Structures of µ-Oxalato-di[bisethylenediaminenickel(II)] Dinitrate, µ-Oxalato-bis[di=2-aminoethyl)aminecopper(II)] Diperchlorate and µ-Oxalato-bis[di=(3-aminopropyl)= aminezinc(II)2 Diperchlorate.

> N F Curtis, I R N McCormick and T N Waters. J.Chem.Soc.Dalton, (1973), 1537.

- Structural Studies on Co-ordinated Macrocyclic Ligands, Part II: Crystal and Molecular Structure of Acetylacetonato-C-meso-(5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane)nickel(II) Perchlorate.
- Part III: Preparations and Crystal Structure Analyses of Salts of the Nickel(II) Complex C-racenic-5,5,7,12,12,14-Hexamethyl-1,4,8,11tetraazacyclotetradecane, [Ni(tet b)²⁺ in the β- and Y-Configurations.

N F Curtis, D A Swann and T N Waters. J.Chem.Soc.Dalton, (1973), 1693.

 Crystal and Molecular Structure of a Donor-Acceptor Complex Involving Protonated Riboflavin, Quinol, and Bromide Ions.

> C A Bear, J M Waters and T N Waters. J.Chem.Soc.Perkin II, (1973), 1266.

 Crystal Structure of the Doubly Bridged Bighenyl, 2-chloro-4,5,9,10-Tetrahydropyrene

> C A Bear, D Hall, J M Waters and T N Waters. J.Chem.Soc.Dalton, (1973), 314.

 Electronic Absorption Bands in Salicylaldimine Complexes of Zinc(II)

> A C Braithwaite and T N Waters. J.Inorg.Nucl.Chem., <u>35</u>, (1973), 3223.

 The Crystal Structure of Di-µ-hydroxo-bis[N,N*-trimethylenebis(salicylaldiminato)manganese(III)] Tetrapyridine, a Supposed Oxygen Carrier.

> H S Maslen and T N Waters. Chem.Comms., (1973), 760.

 Crystal and Molecular Structure of the Tetranuclear Copper Complex Di-p-chlorobis{chloro[N,N'-ethylenebis(salicylaldiminato)copper(II)] copper(II))

> C A Bear, J M Waters and T N Waters. J.C.S.Dalton, (1974), 1059.

 Conformations of Diterpenoids: An X-ray Determination of the Molecular Structure of 6a-Bromo-13-hydroxy-14-isopropylpodocorpa-8, 11,13-trien-7-one and of the Structure and Absolute Configuration of Methyl 6a-Bromo-13-isopropyl-7-oxopodocorpa-8,11,13-trien-15-oate.

> J F Cutfield and T N Waters. J.Chem.Soc.Ferkin II, (1974), 150.

 The Crystal and Molecular Structure of Methanesulphanalide-4*-(9acridinvlamino)monohydrochloride: A Compound showing Anti-leukemic Activity.

> D A Swann and T N Waters. J.C.S.Perkin II, (1974), 1334.

 The Molecular Structure of 6-Bromo-7-hydroxy-1,3.4,1',3',4'hexamethyl-2.1'-di-indanyl-1-7'-ether.

> A W King, L J McDonald, J M Waters and T N Waters. Cryst.Struct.Comm., (1974), 3, 681.

 The Conformation of Schiff-base Complexes of Copper(II): A Stereoelectronic View.

> H S Maslen and T N Waters. Co-ordn.Chem.Revs.. (1975), <u>17</u>, 137.

 The Crystal and Molecular Structure of a Brown Form of Bis(Nmethyl-2-hydroxy-l-naphthaldiminato)copper(II)

> G R Clark, J M Waters and T N Waters J.Inorg.Nucl.Chem., <u>37</u>, (1975), 2455.

 The Crystal Structure of Tetrakis(methyldiphenylphosphine)iridium(I) Tetrafluoroborate with Cyclohexane of Solvation

> G R Clark, B W Skelton and T N Waters. J.Organometallic Chem., <u>85</u>, (1975), 375.

 Crystal and Molecular Structure of mer-Trihydrotris(tripehenylphosphine)iridium(III) with Benzene of Solvation

> G R Clark, B W Skelton and T N Waters. Inorg.Chim.Acta, 12, (1975), 235.

91. Electronic Transitions in Salicylaldimine Complexes

A C Braithwaite, P E Wright and T N Waters. J.Inorg.Nucl.Chem., 37, (1975), 1669.

 E.s.r. and Optical Spectral Properties of Copper(II) Complexes with Schiff-base Ligands from o-Aminobenzaldehyde

> G A Bowmaker, T N Waters and P E Wright. J.C.S.Dalton, (1975), 867.

93. Thicl Complexes as Possible Biological Models

A C Braithwaite, C E F Rickard and T N Waters. Transition Metal Chem., 1, (1975), 5.

 Crystal and Molecular Structure of µ-Chloro-chlorobis-[3,4-bis(2aminoethylthio)toluene]dicopper(II) Diperchlorate

> A C Braithwaite, C E P Rickard and T N Waters. J.C.S.Dalton, (1975), 1817.

 Imine Hydrolysis Reactions in Copper(II) Complexes of N.N-Ethylenebis(thiophen-2-carbaldimine) and -(pyridine-2-carbaldimine)

> A C Braithwaite, C E P Rickard and T N Waters. J.C.S.Dalton (1975) 2149.

96. On the Structure of Prostratin: An X-ray Study.

P E Nixon, I R N McCormick and T N Waters. Tett.Lett., (1976), 1735. 97. An Investigation of the Interaction between Copper(II) Ion, Oxalyldihydrazide and Molecular Oxygen: Crystal and Molecular Structures of Products resulting from the addition of an excess of Acetaldehyde.

> G R Clark, B W Skelton and T N Waters. J.C.S.Dalton, (1976), 1528.

98. The Crystal Structure of Di-µ-chloro-dichloro-bis{2-aminoethyl-(thiophene-2-aldimine)}dicopper(II) and Di-perchlorato-bis-{2-aminoethyl(thiophene-2-aldimine)}copper(II)

> P G Beckingsale, A T Morcom, C E F Rickard and T N Waters. J.C.S.Dalton, (1977), 2135.

100. Polymorphism in Schiff Base Complexes of Copper(II): The Crystal and Molecular Structure of a Second Brown Form of Bis(N-methyl-2hydroxy-l-naphthaldiminato)copper(II).

> G R Clark, J M Waters, T N Waters and G J Williams. J.Inorg.Nucl.Chem., <u>39</u>, (1977), 1971.

101. Structural Features of Di-µ-5,7,7-trimethyl-4,8-diazaundec-4-enel,11-diolato(1-)-ONN'O'-dicopper(II) Perchlorate, a Diamagnetic Copper(II) Compound; X-ray Crystal and Molecular Structure.

> J S DeCourcy and T N Waters. J.C.S.Chem.Comms., (1977), 572.

102. The Crystal and Molecular Structure of Catena-3,5-dimethylisoxazolep-dichlorodicopper(I), a Compound reacting with Molecular Oxygen.

> K J Oliver, T N Waters and (in part) D F Cook and C E F Rickard. Inorg.Chim.Acta, <u>24</u>, (1977), 85.

103. Physical Properties of Soft Donor Complexes of Copper.

A C Braithwaite and T N Waters. Inorg.Chim.Acta, 24, 85, (1977).

104. The Structure of Disodium Catena-Bis (p-oxalato)-cuprate (II) Dihydrate

P Chananont, P E Nixon, J M Waters and T N Waters. Acta Cryst., B36, (1980), 2145-2147.

105. An X-Ray Structural Examination of an Intermediate from the Cleavage of a vic-Diol by Iodine(I) Acetate

> P G Beckingsale, J M Waters and T N Waters. Aust.J.Chem., <u>33</u>, (1980), 671-4.

106. Some Observations on the Structures of Pyridoxal-Aminoacid Schiff Base Complexes

> H M Dawes, J M Waters and T N Waters. Inorg.Chim.Acta, 66, (1982), 29.

107. Reactions of Copper(II) with Ligands containing Thioether Donors

A C Braithwaite, C E F Rickard and T N M Waters Aust.J.Chem <u>34</u>, (1981), 2665

108 The Structure of the Anti-tumour Agent M-AMSA (amsacrine) C₂₁H₁₉N₃O₃S as he free base.

> J S Buckleton and T N M Waters Acta Cryst. <u>C40</u>, (1984), 1587-1589

109 X-Ray and Neutron Diffraction Studies of the Crystal and Molecular Structure of the Predominant Monocarboxylic Acid Obtained by Mild Acid Hydrolysis of Cyanocobalamin. Part II X-Ray Diffraction Studies of Wet Crystals.

> J M Waters and T N Waters Proc. Indian Academy of Sciences (Chemical Sciences) (1984) <u>93</u> 219-34.

110 Schiff Base Complexes of Copper

A F Marinovich, R S O'Mahony, J M Waters and T N M Waters Croat. Chem. Acta (1999) <u>72</u> 685-703 The Crystal and Molecular Structure of a Brown Form of Bis(Nmethyl-2-hydroxy-l-naphthaldiminato)copper(II)

> G R Clark, J M Waters and T N Waters J.Inorg.Nucl.Chem., <u>37</u>, (1975), 2455.

 The Crystal Structure of Tetrakis(methyldiphenylphosphine)iridium(I) Tetrafluoroborate with Cyclohexane of Solvation

> G R Clark, B W Skelton and T N Waters. J.Organometallic Chem., <u>85</u>, (1975), 375.

 Crystal and Molecular Structure of mer-Trihydrotris(tripehenylphosphine)iridium(III) with Benzene of Solvation

> G R Clark, B W Skelton and T N Waters. Inorg.Chim.Acta, 12, (1975), 235.

91. Electronic Transitions in Salicylaldimine Complexes

A C Braithwaite, P E Wright and T N Waters. J.Inorg.Nucl.Chem., 37, (1975), 1669.

 E.s.r. and Optical Spectral Properties of Copper(II) Complexes with Schiff-base Ligands from c-Aminobenzaldehyde

> G A Bowmaker, T N Waters and P E Wright. J.C.S.Dalton, (1975), 867.

93. Thicl Complexes as Possible Biological Models

A C Braithwaite, C E P Rickard and T N Waters. Transition Metal Chem., $\underline{1}$, (1975), 5.

 Crystal and Molecular Structure of µ-Chloro-chlorobis-[3,4-bis(2aminoethylthio)toluene]dicopper(II) Diperchlorate

> A C Braithwaite, C E F Rickard and T N Waters. J.C.S.Dalton, (1975), 1817.

 Imine Hydrolysis Reactions in Copper(II) Complexes of N.N-Ethylenebis(thiophen-2-carbaldimine) and -(pyridine-2-carbaldimine)

> A C Braithwaite, C E P Rickard and T N Waters. J.C.S.Dalton (1975) 2149.

96. On the Structure of Prostratin: An X-ray Study.

P E Nixon, I R N McCormick and T N Waters. Tett.Lett., (1976), 1735. 97. An Investigation of the Interaction between Copper(II) Ion, Oxalyldihydrazide and Molecular Oxygen: Crystal and Molecular Structures of Products resulting from the addition of an excess of Acetaldehyde.

> G R Clark, B W Skelton and T N Waters. J.C.S.Dalton, (1976), 1528.

98. The Crystal Structure of Di-µ-chloro-dichloro-bis{2-aminoethyl-(thiophene-2-aldimine)}dicopper(II) and Di-perchlorato-bis-{2-aminoethyl(thiophene-2-aldimine)}copper(II)

> P G Beckingsale, A T Morcom, C E F Rickard and T N Waters. J.C.S.Dalton, (1977), 2135.

100. Polymorphism in Schiff Base Complexes of Copper(II): The Crystal and Molecular Structure of a Second Brown Form of Bis(N-methyl-2hydroxy-1-naphthaldiminato)copper(II).

> G R Clark, J M Waters, T N Waters and G J Williams. J.Inorg.Nucl.Chem., 39, (1977), 1971.

101. Structural Features of Di-µ-5,7,7-trimethyl-4,8-diazaundec-4-enel,ll-diolato(1--)-ONN'O'-dicopper(II) Perchlorate, a Diamagnetic Copper(II) Compound; X-ray Crystal and Molecular Structure.

> J S DeCourcy and T N Waters. J.C.S.Chem.Comms., (1977), 572.

102. The Crystal and Molecular Structure of Catena-3,5-dimethylisoxazolep-dichlorodicopper(I), a Compound reacting with Molecular Oxygen.

> K J Oliver, T N Waters and (in part) D F Cook and C E F Rickard. Inorg.Chim.Acta, 24, (1977), 85.

102. The Crystal and Molecular Structure of Catena-3,5-dimethylisoxazolep-dichlorodicopper(I), a Compound reacting with Molecular Oxygen.

> K J Oliver, T N Waters and (in part) D F Cook and C E F Rickard. Inorg.Chim.Acta, 24, (1977), 85.

103. Physical Properties of Soft Donor Complexes of Copper.

A C Braithwaite and T N Waters. Inorg.Chim.Acta, 24, 85, (1977).

104. The Structure of Disodium Catena-Bis(p-oxalato)-cuprate(II) Dihydrate

P Chananont, P E Nixon, J M Waters and T N Waters. Acta Cryst., <u>B36</u>, (1980), 2145-2147.

105. An X-Ray Structural Examination of an Intermediate from the Cleavage of a *vic*-Diol by Iodine(I) Acetate

> P G Beckingsale, J M Waters and T N Waters. Aust.J.Chem., <u>33</u>, (1980), 671-4.

106. Some Observations on the Structures of Pyridoxal-Aminoacid Schiff Base Complexes

> H M Dawes, J M Waters and T N Waters. Inorg.Chim.Acta, 66, (1982), 29.

- 107 Reactions of Copper(II) with Ligands containing Thioether Donors A C Braithwaite, C E F Rickard and T N M Waters Aust.J.Chem <u>34</u>, (1981), 2665
- 108 The Structure of the Anti-tumour Agent M-AMSA (amsacrine) C₂₁H₁₉N₃O₃S as he free base. J S Buckleton and T N M Waters Acta Cryst. <u>C40</u>, (1984), 1587-1589
- 109 X-Ray and Neutron Diffraction Studies of the Crystal and Molecular Structure of the Predominant Monocarboxylic Acid Obtained by Mild Acid Hydrolysis of Cyanocobalamin. Part II X-Ray Diffraction Studies of Wet Crystals. J M Waters and T N Waters Proc. Indian Academy of Sciences (Chemical Sciences) (1984) <u>93</u> 219-34.
- 110 Schiff Base Complexes of Copper A F Marinovich, R S O'Mahony, J M Waters and T N M Waters Croat. Chem. Acta (1999) <u>72</u> 685-703