

Kevin Tate Publications

- Pham, C.H., Sagggar, S., Vu, C.C., Tate, K.R., Tran, T.T.T., Luu, T.T., Ha, H.T., Nguyen, H.L.T., Sommer, S.G. (2017) Biogas production from steer manures in Vietnam: Effects of feed supplements and tannin contents. *Waste Management*, 69, pp. 492-497.
- Syed, R., Sagggar, S., Tate, K., Rehm, B.H.A., Berben, P. (2017) Assessing the performance of floating biofilters for oxidation of methane from dairy effluent ponds. *Journal of Environmental Quality*, 46 (2), pp. 272-280.
- Syed, R., Sagggar, S., Tate, K., Rehm, B.H.A. (2016) Assessment of farm soil, biochar, compost and weathered pine mulch to mitigate methane emissions. *Applied Microbiology and Biotechnology*, 100 (21), pp. 9365-9379.
- Syed, R., Sagggar, S., Tate, K., Rehm, B.H.A. (2016) Does acidification of a soil biofilter compromise its methane-oxidising capacity? *Biology and Fertility of Soils*, 52 (4), pp. 573-583.
- Tate, K.R. (2015) Soil methane oxidation and land-use change - from process to mitigation. *Soil Biology and Biochemistry*, 80, pp. 260-272.
- Kirschbaum, M.U.F., Sagggar, S., Tate, K.R., Thakur, K.P., Giltrap, D.L. (2013) Quantifying the climate-change consequences of shifting land use between forest and agriculture. *Science of the Total Environment*, 465, pp. 314-324.
- Ross, D.J., Newton, P.C.D., Tate, K.R., Luo, D. (2013) Impact of a low level of CO₂ enrichment on soil carbon and nitrogen pools and mineralization rates over ten years in a seasonally dry, grazed pasture. *Soil Biology and Biochemistry*, 58, pp. 265-274.
- Pratt, C., Walcroft, A.S., Deslippe, J., Tate, K.R. (2013) CH₄ ratios indicate highly efficient methane oxidation by a pumice landfill cover-soil. *Waste Management*, 33 (2), pp. 412-419.
- Pratt, C., Deslippe, J., Tate, K.R. (2013) Testing a biofilter cover design to mitigate dairy effluent pond methane emissions. *Environmental Science and Technology*, 47 (1), pp. 526-532.
- Tate, K.R., Walcroft, A.S., Pratt, C. (2012) Varying atmospheric methane concentrations affect soil methane oxidation rates and methanotroph populations in pasture, an adjacent pine forest, and a landfill. *Soil Biology and Biochemistry*, 52, pp. 75-81.
- Pratt, C., Walcroft, A.S., Tate, K.R., Ross, D.J., Roy, R., Reid, M.H., Veiga, P.W. (2012) Biofiltration of methane emissions from a dairy farm effluent pond. *Agriculture, Ecosystems and Environment*, 152, pp. 33-39.
- Kirschbaum, M.U.F., Sagggar, S., Tate, K.R., Giltrap, D.L., Ausseil, A.G.E., Greenhalgh, S., Whitehead, D. (2012) Comprehensive evaluation of the climate-change implications of shifting land use between forest and grassland: New Zealand as a case study. *Agriculture, Ecosystems and Environment*, 150, pp. 123-138.
- Pratt, C., Walcroft, A.S., Tate, K.R., Ross, D.J., Roy, R., Reid, M.H., Veiga, P.W. (2012) In vitro methane removal by volcanic pumice soil biofilter columns over one year. *Journal of Environmental Quality*, 41 (1), pp. 80-87.
- Nazaries, L., Tate, K.R., Ross, D.J., Singh, J., Dando, J., Sagggar, S., Baggs, E.M., Millard, P., Murrell, J.C., Singh, B.K. (2011) Response of methanotrophic communities to afforestation and reforestation in New Zealand. *ISME Journal*, 5 (11), pp. 1832-1836.
- Singh, B.K., Tate, K., Thomas, N., Ross, D., Singh, J. (2011) Differential effect of afforestation on nitrogen-fixing and denitrifying communities and potential implications for nitrogen cycling. *Soil Biology and Biochemistry*, 43 (7), pp. 1426-1433.
- Tate, K.R., Lambie, S.M., Ross, D.J., Dando, J. (2011) Carbon transfer from ¹⁴C-labelled needles to mineral soil, and ¹⁴C-CO₂ production, in a young *Pinus radiata* Don stand. *European Journal of Soil Science*, 62 (1), pp. 127-133.
- Speir, T., Orchard, V., Tate, K. (2011) The father of New Zealand soil biochemistry. A tribute to Desmond (Des) Joseph Ross 1923-2010. *Soil Biology and Biochemistry*, 43 (1), pp. 218-220.
- Brackley, H.L., Blair, N.E., Trustrum, N.A., Carter, L., Leithold, E.L., Canuel, E.A., Johnston, J.H., Tate, K.R. (2010) Dispersal and transformation of organic carbon across an episodic, high sediment discharge

- continental margin, Waipaoa Sedimentary System, New Zealand. *Marine Geology*, 270 (1-4), pp. 202-212.
- Singh, B.K., Tate, K.R., Ross, D.J., Singh, J., Dando, J., Thomas, N., Millard, P., Murrell, J.C. (2009) Soil methane oxidation and methanotroph responses to afforestation of pastures with *Pinus radiata* stands. *Soil Biology and Biochemistry*, 41 (10), pp. 2196-2205.
- Macdonald, C.A., Thomas, N., Robinson, L., Tate, K.R., Ross, D.J., Dando, J., Singh, B.K. (2009) Physiological, biochemical and molecular responses of the soil microbial community after afforestation of pastures with *Pinus radiata*. *Soil Biology and Biochemistry*, 41 (8), pp. 1642-1651.
- Saggar, S., Tate, K.R., Giltrap, D.L., Singh, J. (2008) Soil-atmosphere exchange of nitrous oxide and methane in New Zealand terrestrial ecosystems and their mitigation options: A review. *Plant and Soil*, 309 (1-2), pp. 25-42.
- Singh, B.K., Tate, K. (2007) Biochemical and molecular characterization of methanotrophs in soil from a pristine New Zealand beech forest. *FEMS Microbiology Letters*, 275 (1), pp. 89-97.
- Singh, B.K., Tate, K.R., Kolipaka, G., Hedley, C.B., Macdonald, C.A., Millard, P., Murrell, J.C. (2007) Effect of afforestation and reforestation of pastures on the activity and population dynamics of methanotrophic bacteria. *Applied and Environmental Microbiology*, 73 (16), pp. 5153-5161.
- Tate, K.R., Ross, D.J., Saggar, S., Hedley, C.B., Dando, J., Singh, B.K., Lambie, S.M. (2007) Methane uptake in soils from *Pinus radiata* plantations, a reverting shrubland and adjacent pastures: Effects of land-use change, and soil texture, water and mineral nitrogen. *Soil Biology and Biochemistry*, 39 (7), pp. 1437-1449.
- Kool, D.M., Chung, H., Tate, K.R., Ross, D.J., Newton, P.C.D., Six, J. (2007) Hierarchical saturation of soil carbon pools near a natural CO₂ spring. *Global Change Biology*, 13 (6), pp. 1282-1293.
- Saggar, S., Giltrap, D.L., Li, C., Tate, K.R. (2007) Modelling nitrous oxide emissions from grazed grasslands in New Zealand. *Agriculture, Ecosystems and Environment*, 119 (1-2), pp. 205-216.
- Tate, K.R., Ross, D.J., Scott, N.A., Rodda, N.J., Townsend, J.A., Arnold, G.C. (2006) Post-harvest patterns of carbon dioxide production, methane uptake and nitrous oxide production in a *Pinus radiata* D. Don plantation. *Forest Ecology and Management*, 228 (1-3), pp. 40-50.
- Hedley, C., Saggar, S., Tate, K. (2006) Procedure for fast simultaneous analysis of the greenhouse gases: Methane, carbon dioxide, and nitrous oxide in air samples. *Communications in Soil Science and Plant Analysis*, 37 (11-12), pp. 1501-1510.
- Scott, N.A., Tate, K.R., Ross, D.J., Parshotam, A. (2006) Processes influencing soil carbon storage following afforestation of pasture with *Pinus radiata* at different stocking densities in New Zealand. *Australian Journal of Soil Research*, 44 (2), pp. 85-96.
- Niklaus, P.A., Wardle, D.A., Tate, K.R. (2006) Effects of plant species diversity and composition on nitrogen cycling and the trace gas balance of soils. *Plant and Soil*, 282 (1-2), pp. 83-98.
- Scott, D.T., Baisden, W.T., Davies-Colley, R., Gomez, B., Hicks, D.M., Page, M.J., Preston, N.J., Trustrum, N.A., Tate, K.R., Woods, R.A. (2006) Localized erosion affects national carbon budget. *Geophysical Research Letters*, 33 (1).
- Tate, K.R., Wilde, R.H., Giltrap, D.J., Baisden, W.T., Saggar, S., Trustrum, N.A., Scott, N.A., Barton, J.P. (2005) Soil organic carbon stocks and flows in New Zealand: System development, measurement and modelling. *Canadian Journal of Soil Science*, 85 (4), pp. 481-489.
- Trotter, C., Tate, K., Scott, N., Townsend, J., Wilde, H., Lambie, S., Marden, M., Pinkney, T. (2005) Afforestation/reforestation of New Zealand marginal pasture lands by indigenous shrublands: The potential for Kyoto forest sinks. *Annals of Forest Science*, 62 (8), pp. 865-871.
- Price, S.J., Kelliher, F.M., Sherlock, R.R., Tate, K.R., Condon, L.M. (2004) Environmental and chemical factors regulating methane oxidation in a New Zealand forest soil. *Australian Journal of Soil Research*, 42 (7), pp. 767-776.
- Ross, D.J., Newton, P.C.D., Tate, K.R. (2004) Elevated [CO₂] effects on herbage production and soil carbon and nitrogen pools and mineralization in a species-rich, grazed pasture on a seasonally dry sand. *Plant and Soil*, 260 (1-2), pp. 183-196.

- Saggar, S., Andrew, R.M., Tate, K.R., Hedley, C.B., Rodda, N.J., Townsend, J.A. (2004) Modelling nitrous oxide emissions from dairy-grazed pastures. *Nutrient Cycling in Agroecosystems*, 68 (3), pp. 243-255.
- Price, S.J., Sherlock, R.R., Kelliher, F.M., McSeveny, T.M., Tate, K.R., Condon, L.M. (2004) Pristine New Zealand forest soil is a strong methane sink. *Global Change Biology*, 10 (1), pp. 16-26.
- Parfitt, R.L., Scott, N.A., Ross, D.J., Salt, G.J., Tate, K.R. (2003) Land-use change effects on soil C and N transformations in soils of high N status: Comparisons under indigenous forest, pasture and pine plantation. *Biogeochemistry*, 66 (3), pp. 203-221.
- Halliday, J.C., Tate, K.R., McMurtrie, R.E., Scott, N.A. (2003) Mechanisms for changes in soil carbon storage with pasture to *Pinus radiata* land-use change. *Global Change Biology*, 9 (9), pp. 1294-1308.
- Gomez, B., Trustrum, N.A., Hicks, D.M., Rogers, K.M., Page, M.J., Tate, K.R. (2003) Production, storage, and output of particulate organic carbon: Waipaoa River basin, New Zealand. *Water Resources Research*, 39 (6), pp. ESG21-ESG28.
- Tate, K.R., Scott, N.A., Saggar, S., Giltrap, D.J., Baisden, W.T., Newsome, P.F., Trotter, C.M., Wilde, R.H. (2003) Land-use change alters New Zealand's terrestrial carbon budget: Uncertainties associated with estimates of soil carbon change between 1990-2000. *Tellus, Series B: Chemical and Physical Meteorology*, 55 (2), pp. 364-377.
- Ross, D.J., Tate, K.R., Newton, P.C.D., Clark, H. (2003) Carbon mineralization in an organic soil, with and without added grass litter, from a high-CO₂ environment at a carbon dioxide spring. *Soil Biology and Biochemistry*, 35 (12), pp. 1705-1709.
- Ross, D.J., Tate, K.R., Scott, N.A., Wilde, R.H., Rodda, N.J., Townsend, J.A. (2002) Afforestation of pastures with *Pinus radiata* influences soil carbon and nitrogen pools and mineralisation and microbial properties. *Australian Journal of Soil Research*, 40 (8), pp. 1303-1318.
- Ross, D.J., Tate, K.R., Newton, P.C.D., Clark, H. (2002) Decomposability of C3 and C4 grass litter sampled under different concentrations of atmospheric carbon dioxide at a natural CO₂ spring. *Plant and Soil*, 240 (2), pp. 275-286.
- Scott, N.A., Tate, K.R., Giltrap, D.J., Tattersall Smith, C., Wilde, H.R., Newsome, P.J.F., Davis, M.R. (2002) Monitoring land-use change effects on soil carbon in New Zealand: Quantifying baseline soil carbon stocks. *Environmental Pollution*, 116 (SUPPL. 1), pp. S167-S186.
- Ross, D.J., Scott, N.A., Tate, K.R., Rodda, N.J., Townsend, J.A. (2001) Root effects on soil carbon and nitrogen cycling in a *Pinus radiata* D. Don plantation on a coastal sand. *Australian Journal of Soil Research*, 39 (5), pp. 1027-1039.
- Ross, D.J., Tate, K.R., Newton, P.C.D., Wilde, R.H., Clark, H. (2001) Carbon and nitrogen pools and mineralization in a grassland organic soil at a New Zealand carbon dioxide spring. *Soil Biology and Biochemistry*, 33 (6), pp. 849-852.
- Parshotam, A., Saggar, S., Tate, K., Parfitt, R. (2001) Modelling organic matter dynamics in New Zealand soils. *Environment International*, 27 (2-3), pp. 111-119.
- Tate, K.R., Scott, N.A., Parshotam, A., Brown, L., Wilde, R.H., Giltrap, D.J., Trustrum, N.A., Gomez, B., Ross, D.J. (2000) A multi-scale analysis of a terrestrial carbon budget in New Zealand: a source or sink of carbon? *Agriculture, Ecosystems and Environment*, 82 (1-3), pp. 229-246.
- Ross, D.J., Tate, K.R., Newton, P.C.D., Wilde, R.H., Clark, H. (2000) Carbon and nitrogen pools and mineralization in a grassland gley soil under elevated carbon dioxide at a natural CO₂ spring. *Global Change Biology*, 6 (7), pp. 779-790.
- Tate, K.R., Scott, N.A., Ross, D.J., Parshotam, A., Claydon, J.J. (2000) Plant effects on soil carbon storage and turnover in a montane beech (*Nothofagus*) forest and adjacent tussock grassland in New Zealand. *Australian Journal of Soil Research*, 38 (3), pp. 685-698.
- Judd, M.J., Kellier, F.M., Ulyatt, M.J., Lasseby, K.R., Tate, K.R., Shelton, I.D., Harvey, M.J., Walker, C.F. (1999) Net methane emissions from grazing sheep. *Global Change Biology*, 5 (6), pp. 647-657.
- Ross, D.J., Tate, K.R., Scott, N.A., Feltham, C.W. (1999) Land-use change: Effects on soil carbon, nitrogen and phosphorus pools and fluxes in three adjacent ecosystems. *Soil Biology and Biochemistry*, 31 (6), pp. 803-813.

- Ross, D.J., Kelliher, F.M., Tate, K.R. (1999) Microbial processes in relation to carbon, nitrogen and temperature regimes in litter and a sandy mineral soil from a central Siberian *Pinus sylvestris* L. forest. *Soil Biology and Biochemistry*, 31 (5), pp. 757-767.
- Scott, N.A., Tate, K.R., Ford-Robertson, J., Giltrap, D.J., Smith, C.T. (1999) Soil carbon storage in plantation forests and pastures: Land-use change implications. *Tellus, Series B: Chemical and Physical Meteorology*, 51 (2), pp. 326-335.
- Smith, P., Andrén, O., Brussaard, L., Dangerfield, M., Ekschmitt, K., Lavelle, P., Tate, K. (1998) Soil biota and global change at the ecosystem level: describing soil biota in mathematical models. *Global Change Biology*, 4 (7), pp. 773-784.
- Tate, K.R., Ross, D.J. (1997) Elevated CO₂ and moisture effects on soil carbon storage and cycling in temperate grasslands. *Global Change Biology*, 3 (3), pp. 225-235.
- Ross, D.J., Speir, T.W., Tate, K.R., Feltham, C.W. (1997) Burning in a New Zealand snow-tussock grassland: Effects on soil microbial biomass and nitrogen and phosphorus availability. *New Zealand Journal of Ecology*, 21 (1), pp. 63-71.
- Yeates, G.W., Tate, K.R., Newton, P.C.D. (1997) Response of the fauna of a grassland soil to doubling of atmospheric carbon dioxide concentration. *Biology and Fertility of Soils*, 25 (3), pp. 307-315.
- Tate, K.R., Giltrap, D.J., Claydon, J.J., Newsome, P.F., Atkinson, I.A.E., Taylor, M.D., Lee, R. (1997) Organic carbon stocks in New Zealand's terrestrial ecosystems. *Journal of the Royal Society of New Zealand*, 27 (3), pp. 315-335.
- Ross, D.J., Tate, K.R., Feltham, C.W. (1996) Microbial biomass, and C and N mineralization, in litter and mineral soil of adjacent montane ecosystems in a southern beech (*Nothofagus*) forest and a tussock grassland. *Soil Biology and Biochemistry*, 28 (12), pp. 1613-1620.
- Jensen, L.S., McQueen, D.J., Ross, D.J., Tate, K.R. (1996) Effects of soil compaction on N-mineralization and microbial-C and -N. II. Laboratory simulation. *Soil and Tillage Research*, 38 (3-4), pp. 189-202.
- Jensen, L.S., Mueller, T., Tate, K.R., Ross, D.J., Magid, J., Nielsen, N.E. (1996) Soil surface CO₂ flux as an index of soil respiration in situ: A comparison of two chamber methods. *Soil Biology and Biochemistry*, 28 (10-11), pp. 1297-1306.
- Lassey, K.R., Tate, K.R., Sparks, R.J., Claydon, J.J. (1996) Historic measurements of radiocarbon in New Zealand soils. *Radiocarbon*, 38 (2), pp. 253-270.
- Ross, D.J., Sagggar, S., Tate, K.R., Feltham, C.W., Newton, P.C.D. (1996) Elevated CO₂ effects on carbon and nitrogen cycling in grass/clover turves of a psammaquent soil. *Plant and Soil*, 182 (2), pp. 185-198.
- Tate, K.R., Parshotam, A., Ross, D.J. (1995) Soil carbon storage and turnover in temperate forests and grasslands - a New Zealand perspective. *Journal of Biogeography*, 22 (4-5), pp. 695-700.
- Ross, D.J., Tate, K.R., Newton, P.C.D. (1995) Elevated CO₂ and temperature effects on soil carbon and nitrogen cycling in ryegrass/white clover turves of an Endoaquept soil. *Plant and Soil*, 176 (1), pp. 37-49.
- Ross, D.J., Speir, T.W., Kettles, H.A., Tate, K.R., Mackay, A.D. (1995) Soil microbial biomass, C and N mineralization, and enzyme activities in a hill pasture: Influence of grazing management. *Australian Journal of Soil Research*, 33 (6), pp. 943-959.
- McKercher, R.B., Parfitt, R.L., Tate, K.R. (1994) Measurement of phosphorus mineralisation using an anion exchange membrane. *Communications in Soil Science and Plant Analysis*, 25 (19-20), pp. 3209-3219.
- Sagggar, S., Tate, K.R., Feltham, C.W., Childs, C.W., Parshotam, A. (1994) Carbon turnover in a range of allophanic soils amended with ¹⁴C-labelled glucose. *Soil Biology and Biochemistry*, 26 (9), pp. 1263-1271.
- Ross, D.J., Tate, K.R. (1993) Microbial C and N, and respiratory activity, in litter and soil of a southern beech (*Nothofagus*) forest: Distribution and properties. *Soil Biology and Biochemistry*, 25 (4), pp. 477-483.
- Ross, D.J., Tate, K.R. (1993) Microbial C and N in litter and soil of a southern beech (*Nothofagus*) forest: Comparison of measurement procedures. *Soil Biology and Biochemistry*, 25 (4), pp. 467-475.

- Tate, K.R., Ross, D.J., O'Brien, B.J., Kelliher, F.M. (1993) Carbon storage and turnover, and respiratory activity, in the litter and soil of an old-growth southern beech (nothofagus) forest. *Soil Biology and Biochemistry*, 25 (11), pp. 1601-1612.
- Tate, K.R. (1992) Assessment, based on a climosequence of soils in tussock grasslands, of soil carbon storage and release in response to global warming. *Journal of Soil Science*, 43 (4), pp. 697-707.
- Theng, B.K.G., Tate, K.R., Becker-Heidmann, P. (1992) Towards Establishing the Age, Location, and Identity of the Inert Soil Organic Matter of a Spodosol. *Zeitschrift für Pflanzenernährung und Bodenkunde*, 155 (3), pp. 181-184.
- Yeates, G.W., Bamforth, S.S., Ross, D.J., Tate, K.R., Sparling, G.P. (1991) Recolonization of methyl bromide sterilized soils under four different field conditions. *Biology and Fertility of Soils*, 11 (3), pp. 181-189.
- Tate, K.R., Ross, D.J., Ramsay, A.J., Whale, K.N. (1991) Microbial biomass and bacteria in two pasture soils: An assessment of measurement procedures, temporal variations, and the influence of P fertility status. *Plant and Soil*, 132 (2), pp. 233-241.
- Tate, K.R., Speir, T.W., Ross, D.J., Parfitt, R.L., Whale, K.N., Cowling, J.C. (1991) Temporal variations in some plant and soil P pools in two pasture soils of widely different P fertility status. *Plant and Soil*, 132 (2), pp. 219-232.
- Newman, R.H., Tate, K.R. (1991) ¹³C NMR characterization of humic acids from soils of a development sequence. *Journal of Soil Science*, 42 (1), pp. 39-46.
- Tate, K.R., Tate, K.R., Yamamoto, K., Churchman, G.J., Meinhold, R., Newman, R.H., Yamamoto, K., Churchman, G.J., Meinhold, R., Newman, R.H. (1991) Relationships between the type and carbon chemistry of humic acids from some New Zealand and Japanese soils. *Soil Science and Plant Nutrition*, 36 (4), pp. 611-621.
- Yamamoto, K., Tate, K.R., Tate, K.R., Churchman, G.J. (1989) A comparison of the humic substances from some volcanic ash soils in New Zealand and Japan. *Soil Science and Plant Nutrition*, 35 (2), pp. 257-270.
- Ross, D.J., Tate, K.R., Speir, T.W., Stewart, D.J., Hewitt, A.E. (1989) Influence of biogas-digester effluent on crop growth and soil biochemical properties under rotational cropping. *New Zealand Journal of Crop and Horticultural Science*, 17 (1), pp. 77-87.
- Tate, K.R., Salcedo, I. (1988) Phosphorus control of soil organic matter accumulation and cycling. *Biogeochemistry*, 5 (1), pp. 99-107.
- Tate, K.R., Ross, D.J., Feltham, C.W. (1988) A direct extraction method to estimate soil microbial C: effects of experimental variables and some different calibration procedures. *Soil Biology and Biochemistry*, 20 (3), pp. 329-335.
- Churchman, G.J., Tate, K.R. (1987) Stability of aggregates of different size grades in allophanic soils from volcanic ash in New Zealand. *Journal of Soil Science*, 38 (1), pp. 19-27.
- Churchman, G.J., Tate, K.R. (1986) Effect of slaughterhouse effluent and water irrigation upon aggregation in seasonally dry New Zealand soil under pasture. *Australian Journal of Soil Research*, 24 (4), pp. 505-516.
- Churchman, G.J., Tate, K.R. (1986) Aggregation of clay in six New Zealand soil types as measured by disaggregation procedures. *Geoderma*, 37 (3), pp. 207-220.
- Ross, D.J., Speir, T.W., Tate, K.R., Orchard, V.A. (1985) Effects of sieving on estimations of microbial biomass, and carbon and nitrogen mineralization, in soil under pasture. *Australian Journal of Soil Research*, 23 (2), pp. 319-324.
- Tate, K.R. (1984) The biological transformation of P in soil. *Plant and Soil*, 76 (1-3), pp. 245-256.
- Ross, D.J., Tate, K.R. (1984) Microbial biomass in soil: Effects of some experimental variables on biochemical estimations. *Soil Biology and Biochemistry*, 16 (2), pp. 161-167.
- Newman, R.H., Tate, K.R. (1984) Use of alkaline soil extracts for ¹³C NMR characterization of humic substances. *Journal of Soil Science*, 35 (1), pp. 47-54.
- Hawkesd, G.E., Powlson, D.S., Randall, E.W., Tate, K.R. (1984) A ³¹P nuclear magnetic resonance study of the phosphorus species in alkali extracts of soils from long-term field experiments. *Journal of Soil Science*, 35 (1), pp. 35-45.

- Ross, D.J., Speir, T.W., Tate, K.R., Cowling, J.C., Watts, H.M. (1984) Restoration of pasture after topsoil removal: changes in soil biochemical properties over a 5-year period - a note. *New Zealand Journal of Science*, 27 (4), pp. 419-422.
- Wilson, M.A., Collin, P.J., Tate, K.R. (1983) ^1H -nuclear magnetic resonance study of a soil humic acid. *Journal of Soil Science*, 34 (2), pp. 297-304.
- Brookes, P.C., Tate, K.R., Jenkinson, D.S. (1983) The adenylate energy charge of the soil microbial biomass. *Soil Biology and Biochemistry*, 15 (1), pp. 9-16.
- Wilson, M.A., Philp, R.P., Gillam, A.H., Gilbert, T.D., Tate, K.R. (1983) Comparison of the structures of humic substances from aquatic and terrestrial sources by pyrolysis gas chromatography-mass spectrometry. *Geochimica et Cosmochimica Acta*, 47 (3), pp. 497-502.
- Tate, K.R., Jenkinson, D.S. (1982) Adenosine triphosphate (atp) and microbial biomass in soil: Effects of storage at different temperatures and at different moisture levels. *Communications in Soil Science and Plant Analysis*, 13 (10), pp. 899-908.
- Tate, K.R., Newman, R.H. (1982) Phosphorus fractions of a climosequence of soils in New Zealand tussock grassland. *Soil Biology and Biochemistry*, 14 (3), pp. 191-196.
- Tate, K.R., Jenkinson, D.S. (1982) Adenosine triphosphate measurement in soil: An improved method. *Soil Biology and Biochemistry*, 14 (4), pp. 331-335.
- Ross, D.J., Tate, K.R., Cairns, A. (1982) Biochemical changes in a yellow-brown loam and a central gley soil converted from pasture to maize in the Waikato area. *New Zealand Journal of Agricultural Research*, 25 (1), pp. 35-42.
- Ross, D.J., Tate, K.R., Cairns, A., Meyrick, K.F., Pansier, E.A. (1982) Effects of slaughterhouse effluent and water on biochemical properties of two seasonally dry soils under pasture. *New Zealand Journal of Science*, 25 (4), pp. 341-349.
- Ross, D.J., Speir, T.W., Tate, K.R., Cairns, A., Meyrick, K.F., Pansier, E.A. (1982) Restoration of pasture after topsoil removal: Effects on soil carbon and nitrogen mineralization, microbial biomass and enzyme activities. *Soil Biology and Biochemistry*, 14 (6), pp. 575-581.
- Ross, D.J., Tate, K.R., Cairns, A., Meyrick, K.F. (1981) Fluctuations in microbial biomass indices at different sampling times in soils from tussock grasslands. *Soil Biology and Biochemistry*, 13 (2), pp. 109-114.
- Barron, P.F., Wilson, M.A., Stephens, J.F., Cornell, B.A., Tate, K.R. (1980) Cross-polarization ^{13}C NMR spectroscopy of whole soils. *Nature*, 286 (5773), pp. 585-587.
- Newman, R.H., Tate, K.R. (1980) Soil Phosphorus Characterisation By ^{31}P Nuclear Magnetic Resonance. *Communications in Soil Science and Plant Analysis*, 11 (9), pp. 835-842.
- Ross, D.J., Tate, K.R., Cairns, A., Pansier, E.A. (1980) Microbial biomass estimations in soils from tussock grasslands by three biochemical procedures. *Soil Biology and Biochemistry*, 12 (4), pp. 375-383.
- Newman, R.H., Tate, K.R., Barron, P.F., Wilson, M.A. (1980) Towards a direct, non-destructive method of characterising soil humic substances using ^{13}C N.M.R. *Journal of Soil Science*, 31 (4), pp. 623-631.
- Ross, D.J., Tate, K.R., Cairns, A., Meyrick, K.F. (1980) Influence of storage on soil microbial biomass estimated by three biochemical procedures. *Soil Biology and Biochemistry*, 12 (4), pp. 369-374.
- Tate, K.R., Churchman, G.J. (1978) Organo-mineral fractions of a climosequence of soils in New Zealand tussock grasslands. *Journal of Soil Science*, 29 (3), pp. 331-339.
- Tate, K.R., Anderson, H.A. (1978) Phenolic hydrolysis products from gel chromatographic fractions of soil humic acids. *Journal of Soil Science*, 29 (1), pp. 76-83.
- Foo, L.Y., Tate, K.R. (1977) Isolation of chrysotholunin, a red pigment from a New Zealand soil. *Experientia*, 33 (10), pp. 1271-1272.
- Bracewell, J.M., Robertson, G.W., Tate, K.R. (1976) Pyrolysis-gas chromatography studies on a climosequence of soils in tussock grasslands, New Zealand. *Geoderma*, 15 (3), pp. 209-215.
- Tate, K.R. (1974) Influence of four pesticide formulations on microbial processes in a New Zealand pasture soil: I. Respiratory activity. *New Zealand Journal of Agricultural Research*, 17 (1), pp. 1-7.
- Tate, K.R. (1973) Respiratory activity of soils irrigated by water and by meatworks effluent: A note. *New Zealand Journal of Agricultural Research*, 16 (3), pp. 385-388.